

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® PlugIns® Car New Car Feel

Recommended use : Air Freshener

Restrictions on use : Use only as directed on label

Manufacturer, importer, supplier : S.C. Johnson and Son, Limited
1 Webster Street
Brantford ON N3T 5R1

Telephone : +1-800-558-5566

Emergency telephone number : 24 Hour Transport & Medical Emergency Phone (866) 231-5406
24 Hour International Emergency Phone (952) 852-4647
24 Hour Canadian Transport Emergency Phone (CANUTEC)
(613) 996-6666

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Skin corrosion/irritation	Category 2	Causes skin irritation.
Serious eye damage/eye irritation	Category 2	Causes serious eye irritation.
Skin sensitisation	Category 1	May cause an allergic skin reaction.
Reproductive toxicity	Category 2	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure	Category 2	May cause damage to organs.

Labelling

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

Hazard symbols

Exclamation mark
Health hazard

Signal word

Warning

Hazard statements

Combustible liquid.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.

Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
IF exposed or concerned: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/ attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/ container to an approved incineration plant.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves.
Use personal protective equipment as required.
Avoid breathing spray.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.

Other hazards : None identified

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by Canadian Hazardous Products Regulation are listed in this table.

Chemical name	CAS-No.	Weight percent
Fragrance - Trade Secret	Mixture	80.00 - 100.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/ attention.

Inhalation : No special requirements.

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Eyes : May irritate eyes.
Causes serious eye irritation.

Skin effect : May cause allergic skin reaction.

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

Causes skin irritation.
No adverse effects expected when used as directed.

Inhalation : May cause allergic respiratory reaction.

Ingestion : May cause irritation to mouth, throat and stomach.
May cause abdominal discomfort.
No adverse effects expected when used as directed.

Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Do not use a solid water stream as it may scatter and spread fire. Container may melt and leak in heat of fire.

Further information : Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Wear personal protective equipment.
Wash thoroughly after handling.
Obtain special instructions before use.
Wear protective gloves/ eye protection/ face protection.
Avoid contact during pregnancy/ while nursing.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up

: Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling

: Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing vapours, mist or gas.
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling.

Advice on protection against fire and explosion

: Keep away from sources of ignition - No smoking.

Storage

Requirements for storage areas and containers

: Store in a well-ventilated place. Keep cool.

Other data

: The product is chemically stable.

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
------------	---------	-------	-----	--------------------	-------

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Wear suitable gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : gel

Color : grey

Odour : Marine/Ozone

Odour Threshold : Test not applicable for this product type

pH : Test not applicable for this product type

Melting point/freezing point : Test not applicable for this product type

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

Initial boiling point and boiling range : Test not applicable for this product type

Flash point : 77 °C
170.6 °F
Method: ASTM D3828

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : not auto-flammable

Upper/lower flammability or explosive limits : Test not applicable for this product type

Vapour pressure : Calculated 0.8401 hPa
at 20 °C
Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 0.9470 g/cm³ at 25 °C

Solubility(ies) : negligible

Partition coefficient: n-octanol/water : Test not applicable for this product type

Auto-ignition temperature : does not ignite

Decomposition temperature : Test not applicable for this product type

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

Viscosity, dynamic	:	84 mPa.s	:
Viscosity, kinematic	:	Test not applicable for this product type	:
Oxidizing properties	:	Test not applicable for this product type	:
Volatile Organic Compounds Total VOC (wt. %)*	:	63.4 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	:
Other information	:	None identified	:

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under recommended storage conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	Category 2	-
Serious eye damage/eye irritation	Category 2	-
Skin sensitisation	Category 1	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	Category 2	-
Specific target organ toxicity - single	Category 2	-

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

exposure		
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Fragrance - Trade Secret	No data available	No data available

Mobility

Component	End point	Value
Fragrance - Trade Secret	No data available	

PBT and vPvB assessment

Component	Results
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

Canada Regulations : This product has been classified in accordance with the hazard criteria of the Hazardous Products Act and Regulations.

Safety Data Sheet

classification according to Canadian Hazardous Products Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	2
Reactivity	0

NFPA Ratings

Health	2
Fire	2
Reactivity	0
Special	-

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--

Safety Data Sheet

classification according to Canadian Hazardous Products
Regulation



GLADE® PlugIns® Car New Car Feel

Version 1.1

Print Date 01/23/2018

Revision Date 12/05/2017

SDS Number 350000032618GEN_SOF
Number 59746